



CITY OF STOKE-ON-TRENT


ANNUAL REPORT

ON THE WORK OF THE

PUBLIC HEALTH DEPARTMENT 1942

A. WOTHERSPOON, M.B., Ch.B., D.P.H.

MEDICAL OFFICER OF HEALTH





CITY OF STOKE-ON-TRENT

ANNUAL REPORT

ON THE WORK OF THE

PUBLIC HEALTH DEPARTMENT 1942

A. WOTHERSPOON, M.B., Ch.B., D.P.H.

MEDICAL OFFICER OF HEALTH

INDEX

										PAGE
Area and Populat	tion	• •								5
Births	• •			• • •						5, 24
Cancer		• •			• •		• •			15
Children's Act	• •	• •	• •	• •	• • •	• •	• •	• •	• •	26
Deaths	···		• •	• •	• •	• •	• •	• •	• •	8
Diphtheria Immu		11	• •	• •	• •	• •	• •	• •	• •	15
Disinfection		• •	• •	• •	• •	• •	• •	• •	• •	15
Day Nurseries	• •	• •	• •	• •	• •	• •	• •	• •	• •	28
Food and Drugs	Act, 19	38.		* 1 * 4	• •	• •	• * •	• •		34
Housing Act	• •			• •	• •	• •	• •	• •		36
Infantile Mortalit	~			• •	• •	• •	• •	• •		22, 25
Infectious Diseas			***	• • • •	• • •	• •	• •	• •		I 2
Infectious Diseas		pital, B	ucknal	1	• •	• •	• •	• •	• •	13
Inhabited Houses	S.,	• •			• •	• •	• •	• •		5
Laboratory Work		• •	• •	• •				• •		14
Lead Roisoning	• *•	• 170-4	• • •	• •	• • •	• •	• • •	• • •	• •	15
Maternal Mortali	ty		• ••		• ~ •					27
Maternity and Ch	nild We	elfare							• • •	22
Maternity Mortal	lity									27
Maternity Hospit	cal, Har	tshill								29
Measles				• • •	• • •					29
Meat and Food I	nspecti	on								• 35
Midwives		• •								22
Milk Licences										35
Milk Supplies						• • 1				35
Ophthalmia Neor	natorun	ı.								28
Prosecutions take	en durii	ng 1942	2					• •		37
Rateable Value										5
Rats and Mice (I					• • •	• 4 • • 5 • •	• •	• •	• •	5 33
Refuse Collection							• •	• •	• •	
Rent and Mortga							028	• •	• •	30
Rent and Mortga	ige Three	icst (I	CSUICU	10115/ 23	.003, 19	20 to 1	930	• •	• •	36
Sanitary Inspecti	ion of I	District								31
Schools										13
Smoke Nuisance										33
Still-Births					0 -10					6
Tuberculosis		• •								15
Vaccination										0.7
Venereal Diseases	· ·	• •	• •		• •	• •	• •			2I 20
									• •	
Whooping Cough		• •	• •	• •	• •	• •	• •	• •	• •	29
Zymotic Disease	S	• •	• •	• •	• •	• •	• •	• •	• •	9
Vital Statistics of previous							Table	No. 1		7
Vital Statistics c Towns and	ompare England	d with	those Wales	of the	126 la period	rge of				,
five years, a				rease f	for Sto	ke-				
on-Trent	• •	• •	• •	• •	• •	• • •	,,	,, 2	• •	8
Causes of, and A	ges at I	Death o	during	the year	ar 1942		,,	,, 3		10
Cases of Infectio	_		ŭ	_	•					
1942	• •	• •	• •	• •		• •	,,	,, 4	• •	ΙΙ
Infantile Mortali Districts, 19		0		e City			,,	,, 5		23
										J

CITY OF STOKE-ON-TRENT.

PUBLIC HEALTH DEPARTMENT.

To the Lord Mayor, Aldermen and Councillors of the City of Stoke-on-Trent.

LADIES AND GENTLEMEN,

I have the honour to present to you my Annual Report for the year 1942.

The estimated civil population at the middle of the year was 255,500, a reduction of 3,150 as compared with the previous year.

The Birth Rate is higher, being 18.9 as compared with 17.5 for the previous year. That for the large towns was 17.3 compared with 14.7 last year.

The Death Rate is 11.9 being 0.5 lower than last year. The rate for the large towns was 13.3 or 1.6 lower than in 1941.

The Infantile Rate was 49 compared to 63 for last year.

The Maternal Mortality Rate is slightly lower, being 2.97 compared with 3.40 per thousand total births.

The number of Diphtheria cases was almost double those of 1941 and the type was still very severe, the case fatality was 6.78 compared with 10.34 last year. No death occurred amongst children who had previously been immunised.

The need for immunisation at an early age is more urgent than ever. It is estimated that 65% of the children of school age have been immunised and about 50% of children under 5 years of age. Special clinics are being held each week and the Health Visitors are conducting a house-to-house campaign amongst the children under 5 years. The School Medical Staff is also co-operating, and many of the Departments have now a percentage immunised of over 90.

The deaths from Pulmonary Tuberculosis were 180, a decrease of 30 over 1941.

Cancer deaths show a slight increase on last year, 423 compared with 390 in 1941 and 407 in 1940.

There has been two changes in the Medical staff during the year. The Assistant Tuberculosis Officer, who was engaged on civil defence duties, has left the service. Also Dr. McCash, Assistant Maternity and Child Welfare Officer, resigned to take up a post elsewhere Both posts are still vacant, but Dr. S. Martyn Johns has been appointed Temporary Medical Officer to assist in the Tuberculosis work.

The First Aid Station at Cauldon has been used for the treatment of Scabies, under the direction of Dr. Spark, Medical Officer of the Post. Up to the end of the year 1,221 cases had been treated with very excellent results.

I wish to thank the Chairman and all Members of my Committees for their assistance, and the staff for their loyal help during the past year.

I am, Ladies and Gentlemen, Your obedient Servant,

ALLAN WOTHERSPOON,

Medical Officer of Health.

Public Health Department,

Stoke-on-Trent,

June, 1943.

AREA AND POPULATION.

The City is 21,190 acres in area. It is 10 miles long, and in no part more than 5 miles wide. About 150 acres are covered with water.

The Registrar General gives the civilian population of the City as 255,500 at the middle of 1942. This figure is a reduction of 3,150 on the figure supplied by the Registrar General for the previous year.

INHABITED HOUSES.

The number of inhabited houses at the Census of 1931 for the City was 58,687. The number of inhabited houses at the present time is probably about 69,749.

During the year 1942, 133 new dwelling-houses were certified for habitation. 64 of these were built by the Corporation and 69 by private owners. In 1941 the number was 148 and in 1940 the number was 1,590. 64 of the houses erected during the year 1942 were built with state assistance.

RATEABLE VALUE.

The rateable value of the city for the purposes of the General Rate at 1st April, 1943 was £1,296,246, compared with £1,280,142 at 1st April 1942.

BIRTHS.

There were 4,840 births registered and allotted to the City in 1942, giving a birth rate of 18.9 per 1,000 of the population.

The rate for the 126 large towns of England and Wales was 17.3 per thousand and for England and Wales 15.8

The rate is 1.4 higher than in 1941.

The ratio of births of males to births of females during the year was 1,056 to 1,000. For the year 1941 the ratio was 1,045 males to 1,000 females.

The natural increase of population, that is, excess of births over deaths, was 1792. The previous year it was 1339, a difference of 453 lives, the number of births registered being 302 more than in 1941, while the number of deaths was 151 less.

ILLEGITIMATE BIRTHS.

Of the total births, 217, or 4.48 per cent., were illegitimate, compared with 175, or 3.86 per cent., in the previous year.

STILL-BIRTHS.

Under the Notification of Births Act, all still-births must be notified to the Medical Officer of Health. 228 were notified during the year under the Act, and of these 80 were attended by midwives, 35 by medical men, and 113 took place in an institution.

The number registered during the 12 months ending 31st December was 243, of which 32 were children of mothers from outside the city area.

Taking the number of still-births that occurred in 1942 as 211, it is equal to 4.36 per cent of the total births. In 1941 there were 192 still-births, equal to 4.06 per cent.

TABLE 1

Vital Statistics of Whole District during 1942 and previous years.

	district	At all ages	Rate	[I.3	12.3	13.2	12.4	6.11	
	g ng to the	At all	Rate per 1000 net Number Births	3,076	3,311	3,416	3,199	3,048	
13.	ths belong	Under 1 yr. of age	Rate per 1000 net Births	52	19	19	63	49	
ious yea	Net Dea	Under 1	Number	231	268	270	285	237	
and piev	ole Deaths	of Reci-	O H	121	IOI	86	108	117	
tien senious of whole positice until 1946 and pievious years.	Transferable Deaths Net Deaths belong ng to the district	J. W. P.	residents registered in the district	377	325	366	486	459	
וכו ממודו	Deaths	rict	Rate	12.3	13.2	14.2	13.8	13.7	
OLC LAISEL	Total I	district	Number	3,332	3,535	3,684	3,577	3,507	
77 44 77		it.	Rate	16.4	16.3	17.0	17.5	6.81	
Catalia	BIRTHS	Nett	Number	4,469	4,410	4,411	4,538	4,840	
Tool			Un- corrected Number	4,671	4,599	4,631	4,820	5,214	
	Donilation	estimated to middle	of each year	272,000	270,500	259,500	258;650	255,500	
			Year	1938	1939	1940	1941	1942	

Area of District in acres (land and inland water), 21,190.

TABLE 2.—Vital Statistics compared with those of the 126 large Towns and England and Wales over a period of five years, and the Natural Increase for Stoke-on-Trent.

одоприводника вик. Эк мей 1.00 ТРА	De	eath Ra	te	В	irth Ra	te		nfantile tality F		Natural
	Stoke- on- Trent	126 Large Towns	Eng- land and Wales	Stoke- on- Trent	126 Large Towns	Eng- land and Wales	Stoke- on- Trent	126 Large Towns	Eng- land and Wales	Increase in Popu- lation, Stoke- on-Trent
1938	11.3	11.7	11.6	16.4	15.0	15.1	52	57	53	1393
1939	12.3	12.0	12.1	16.3	14.8	15.0	61	53	50	1099
1940	13.2	15.8	14.3	17.0	16.0	14.6	61	61	55	995
1941	12.4	14.9	12.9	17.5	14.7	14.2	63	71	59	1339
1942	11.9	13.3	11.6	18.9	17.3	15.8	49	59	49	1792

DEATHS.

The number of deaths registered in the City during the year 1942 was 3,507. This gives a death rate of 13.7 per 1,000 of the population. Of the total deaths, 1,638 occurred in public institutions in the district. If the deaths of non-residents which occurred in the district be excluded and the deaths of residents which occurred beyond the district be included the nett deaths belonging to the district is 3,048 (1,641 males and 1,407 females), and the death rate 11.9 per 1,000.

The death rate for the 126 large towns of England and Wales was 13.3 per 1,000 and for the whole of England and Wales, 11.6.

The death rate of 11.9 per 1,000 was 0.5 lower than that of 1941.

The death rate for the 126 large towns of England and Wales was 1.6 lower in 1942 than 1941.

PRINCIPAL CAUSES OF DEATH.

						1942	1941
Tubercular Disease	es					209	252
Congenital Debilit	ty and	Malfor	mation,	incl	uding		
Premature Bir	th	* * *				144	145
Bronchitis						78	282
Pneumonia		• • •				135	157
Organic Heart Dis	ease					772	687
Cancer						423	390
Violence	* * •					215	161
Nephritis and Brig	ht's Dis	sease				81	92
Influenza	* * *					27	92 61

DEATHS FROM PRINCIPAL ZYMOTIC DISEASES.

						1942	1941
Smallpox	• • •	• • •		• • •		O	0
Enteric	• • •		* * *	* * *	• • •	0	0
Diphtheria		• • •		• • •		31	24
Scarlet Fever	• • •	• • •	• • •	• • •	• • •	0	0
Whooping Cough	• • •	• • •	• • •	• • •	• • •	I	22
Measles	• • •	• • •	• • •		• • •	3	20
Diarrhoea and Enter	itis	• • •		• • •		22	23

TADED O	-	7000		, ,		4 4 6		Des	CEA	GUI	mg	LII	- y	cai	134	<i></i>	
Causes of Death	Tunstall	Burslem	Hanley	Ke	ton	Longton	Smallthorne, on, Bucknall etc. Vards 27 & 28)	A	ges	of '	'Re ng w	side ithi	nts	wit	oined hethe hout	r	Total Deaths whether of
	Tun	Bur	Har	Stoke	Fenton	Lon		All	Under I year	r and under 2	2 and under 5	5 and under 15	15 and under 25	25 and under 45	45 and under 65	65 and upwards	or 'Non- Residents' in Institu- tions in the district
All Causes { Certified Uncertified	l I	456	641 	508 —	27I —	5 ² 4	323	3047 I	² 37	31	47	85	113	348 1	915	1271	1638
Typhoid & Paratyphoid Fevers			1														
Cerebro-Spinal Fever	I	2	5	2				II		I	2	4		2	2		12
Scarlet Fever	-		-							-				_			
Whooping Cough Diphtheria		3	5	9	3	1 6	4	31	I	2	9	18			_	_	28
Tuberculosis of Respira-	7																20
tory System Other Tuberculosis	18	27	38	31	14	23	29	180	I	I		I	29	69	69	10	94
Diseases	4		5	4	2	9	3	29	3	2	5	6	6	4		3	34
Syphilitic Diseases Influenza	2	2 4	6 10	4	2 4 3	7 2	2 3	7 27	1 3			I	I	3	18	3	12
Measles	-	4 I	2			_		3		3						I I	4 I
Acute Poliomyelitis and Polioencephalitis						_		_			_			1			
Acute Infectious						I		1			1						2
Encephalitis	_		I	I				2			-			I		1	
M. Cancer of buccal cavity and Oesophagus						1											
(Males only)	2		4	4	3	_	2	16				_		2	5	9	16
F. Cancer of Uterus Cancer of Stomach	2 10	2 12	9 21	4	2 I I	8	3	30 88						15	20 51	9	6
Cancer of Breast	I	5	II	5	8	5	3	38						2	20	24 16	46 12
Cancer of all other sites Diabetes	27	43	54 6	5 I	22	31	23	25I 22		-	-	I	2	27	117	104	131
Intra-cranial Vascular	2	2		2	3	5	2	2.2				1		3	0	10	II
Lesions	33		55	46	16	47	21	252			2		I	7	86	156	125
Heart Disease		120	160 11	115	70	162 15	70 5	772 54			I	II	22	43	219	476	238 26
Bronchitis	10	}	13	12	7	18	IO	78	7	I	-	_	I	2	29	38	14
Pneumonia (all forms) Other Respiratory	17	14	27	25	14	22	16	135	31	9	5	5	4	13	35	33	88
Diseases	13	9	17	9	7	13	10	78	2	I		I	I	6	41	26	30
Ulceration of the Stomach or duodenum				2			2	19							T.0		
Diarrhoea, etc. (under		5	3	3		4	3	19						3	13	3	26
2 Years)	2	2	3	6	I	5	3	22	21	I,	_						II
Appendicitis Other Digestive Diseases	9	1 15	5	I I4	4	13	5	64	2	I	4	2 2	I	IO	23	23	15 63
Nephritis	7	9	22	10	ΙΙ	14	8	81			I		I	14	28	37	53
Puerperal and Post Abortive Sepsis		3				ı		4					Т	3			4
Other Maternal causes	2		2	2	2	2	I	ΙΙ	-1				3	3			4
Premature Birth Congenital malformations	10	12	12	18	8	10	9	79	79			-					50
Birth Injury, Infantile			_	_			7.0	6 -				1				70 - 40 - 40 - 40 - 40 - 40 - 40 - 40 -	
Disease Suicide	5 2	10	12	9	5	9	5	65 32	51	4			I	II	16	4	37 3 2
Road Traffic Accidents	2	3	8	9	4	7	3	41			5	7	3	7	13	6	36
Other violent causes All other causes	34	32	30 69	12 62	5	I 5 54	14 42	142 384	5 20	1 4	3	I 2 I 2	26	4I 4I	33	2I 203	72 315
War Operations	I		2				3	6	_	-		_	_	6			3 3
TOTALS	325	456	641	508/2	271	524	323	3048	237	31	47	85	113	349	915	1217	1638

TABLE 4.—Cases of Infectious Diseases notified during the year 1942.

	-	Tot	2) [2	Total Cases potified		in asch		Locality			Jumpe	r of C	Number of Cases Notified	otified			
	SI			of the		rict					At	t Ages	-Years	rs			
Disease	noitutitanI oild	[[stall	rslem	njey	ә җ	notr	notgn	Smallth'rne Norton, Bucknall, etc.	At all Ages	der 1	<i>S</i> 0:	SI O	to 25	\$ p ot	£9 01	and upwards	Total Cases removed to
	Ind	ınŢ	ng	ьН	012	тэЧ	ron	Wards 27 & 28		пU	t i	t S	51	Sz	54	59	iiospitai
Smallpox										1	1						
Cholera Diphtheria and Membranous Cronp		10	46	96	120	12	74	81	457	10	85	278	69	20			452
Erysipelas	0	9	7	14	4	7	II	9	52	,	0 00 0	H	010	18	22		OI OI
Scarlet Fever Typhoid & Paratyphoid Fever	4	105	153 I	260	163	34 I	120 I	125	967	ر ا	308	586	46	20 I	4		338
Puerperal Pyrexia	12	01	13	OI	900	64 6	15	∞ ∞	68	-	12	/ «	22	46	14		, 52 + 85 ×
Poliomyelitis	l j	C I	ا ע	71	ا ب	۷	Н	0	C 2	- н	I	P	ا بر	ر	o		I
	2	42	32	59	36	17	40	33	I 192	H	H	91	73	93	I 73	4	
s of Tuberculosis		6 i	9	8 H	60	1 0.	х и	II	77	1 20	14	31	14	∞	7	2	
Primary	10	47	36	93	99	29	75	36	392	13	56	92	37	86	89	44	I
Pneumonia, Broncho	~ ⊢	4 4	16	2 N	W 12	н «	0 6	7 7	47	0 m	15 I	0	0 ×	4	7 14	m∞	
î	1	-	2)	ا ر	۱ ,)	-	5)	1	1		`			
Dysentery Pemphigus Neonatorum	-			m	H	H		1 1	н 2	5	1	н	1			1 1	
	2 +	2		, 20	172	&	I X I	797	3		——————————————————————————————————————	087	u	"	-	н	u
Whooping Cough	at all spirits to all a street	21	770	8	32	S	28	12	118	12	79	25	ЭН	C I	1		O
Totals	49	682	696	1321	630	201	579	806	5237	188	2118	2033	289	338	202	69	857
Isolation Hospitals—Name and Situation	ospit	als— tion	Int Sta No	Infectious Dis Stanfield Sans North Staffs. (At present	Sansaffs.	s Diseases Hospital, Sanatorium, Bursle offs. Joint Smallpox sent being used for	(ospital, B. Burslem mallpox F. Ised for the	seases Hospital, Bucknall atorium, Burslem Joint Smallpox Hospital being used for the accommodation of	all tal	dation		Total Av ", 48 childre	Available ", ldren' suffe	Total Available Beds, 264 ", 91 ", 90 ", 90 48 children suffering from Tuberculosis)	264 91 90 rom T	uberc	ulosis)

INFECTIOUS DISEASES.

Scarlet Fever.

Number of cases notified			• • •	967
Number of deaths		• • •	• • •	О
Case fatality per cent	• • •	• • •		0.00
Number of cases removed to	hospita	ls	• • •	338
Percentage of cases removed		• • •	• • •	35.0

The attack rate for the City during the year was 3.78 per 1,000 of the population.

The mortality rate in the district during 1942 was 0.00. The mortality rate for the disease in England and Wales was 0.00 per 1,000 of the population, and in the 126 large towns 0.00 per 1,000.

Diphtheria.

Number of cases notified	• • •	• • •	• • •	457
Number of deaths	• • •		• • •	31
Case fatality per cent	• • •		* * *	6.78
Number of cases removed to	Hospit	tal		452
Percentage of cases removed	• • •	• • •	• • •	98.9

The attack rate for the City was 1.78 per 1,000 of the population.

The death rate from Diphtheria in the City was 0.121 compared to 0.06 in the 126 large towns, and 0.05 in England and Wales.

Typhoid and Para Typhoid Fever.

Number of cases notified	• • •	13
Number of deaths		O
Case fatality per cent		0.0
Number of cases removed to hospitals	• • •	7
Percentage of cases removed	• • •	53.8

All the 13 cases notified were Para Typhoid Fever.

Arrangements have been made for the inoculation against Enteric Fever, free of charge, and although these arrangements have been widely advertised, only six persons were inoculated during 1942.

Smallpox.

During the year no cases of Smallpox occurred.

Erysipelas.

There were 52 cases notified during the year, with one death. In 1941 69 cases were notified with one death.

Enquiries are made into these cases and the sanitary condition of the houses attended to.

Cerebro-Spinal Fever.

Forty-five cases were notified as Cerebro Spinal Fever during the year, and all were confirmed bacteriologically. There were eleven deaths.

Acute Encephalitis Lethargica and Acute Polio-Encephalitis.

There was one case of Acute Encephalitis Lethargica notified during the year.

Malaria and Dysentery.

There was one case of Dysentery notified during the year.

Influenza, Pneumonia and Broncho Pneumonia.

The number of cases notified during the year was:—Influenzal Pneumonia, 57 and Pneumonia and Broncho Pneumonia, 439. The number of deaths was:—Influenza, 27, being equal to a rate of 0.105 per 1,000 of the population; and Pneumonia and Broncho Pneumonia, 155, being equal to a rate of 0.55 per 1,000 of the population.

These diseases were less prevalent than in 1941.

SCHOOLS.

The Medical Officer of Health is the School Medical Officer.

No schools were closed on account of the presence of infectious diseases.

CITY INFECTIOUS DISEASES HOSPITAL, BUCKNALL.

During the year 1942, 987 cases were admitted.

The following table shows the cases admitted during the year with diagnosis uncorrected, and the number of deaths:—

						Cases	Deaths
Scarlet Fever		• • •			• • •	351	
Diphtheria		• • •		• • •		450	29
Typhoid Fever	• • •		* * •	• • •	• • •	7	—
Puerperal Pyres	kia		• • •	• • •	• • •	34	I
Erysipelas	• • •		• • •	• • •	• • •	15	I
Measles		• • •	• • •			31	I
Chicken Pox						8	
Whooping Coug	h		• • •	* * *		I	
Cerebro-Spinal	Mening	gitis				66	18
Acute Poliomye	elitis	• • •	• • •		• • •	I	I
Pneumonia					* * *	4	2
Mumps			• • •	• • •		2	—
Impetigo		• • •		• • •		I	
Sick Staff						16	
			T - 4	1		- 0 -	
			Tot	al		987	53

HOSPITAL LABORATORY WORK, 1942.

Diphtheria New Cases	Throat Nose		Positive 271 1	Negative 175 4	Total 446 5
Scarlet Fever New Cases	Throat Nose			335 336	336 336
Convalescents Enteric Specimens	Throat Nose 	• • •	275 115 —	1327 1050 —	1602 1165 45
Other Specimens	•••	• • •	Total		49 39 ⁸ 4

Town Laboratory Work, 1942.

Sputum for T.B Swabs for Diphtheria Smears for Gonococci Enteric Specimens Other Specimens	 •••	Positive 189 187 —	Negative 494 772 — —	Total 683 959 58 77 42
		Total		1819

Cerebro-Spinal Fever.

66 cases were admitted, notified as Cerebro-Spinal Fever or as suspected cases. Of these, 21 proved not to be true cases, leaving 45 true cases. The number of deaths among the true cases was 5, giving a case mortality of 11%; 13 deaths occurred among the remaining cases, chiefly from Tuberculosis and Pneumococial Meningitis.

Diphtheria.

Diphtheria remained epidemic throughout the year, with a large proportion of cases of the gravis type. 450 cases were admitted, of which 59 were not true cases. This leaves 392 cases in which the diagnosis was clinically or bacteriologically confirmed. 29 deaths occurred among these cases, giving a case mortality of 7.4%. No death occurred in a patient who had been previously immunised.

Diphtheria Immunisation.

There were 12,774 children immunised at the school clinics, the special sessions held at the Infant Welfare Centres and the weekly clinics at Richmond Lodge Welfare Centre held each Tuesday afternoon. 3,926 of those immunised were under school age.

Disinfection.

The total number of houses disinfected during the year was 632 and the number of rooms in such houses, 2,708. No schools were sprayed. The number of articles passed through the Disinfector totalled 82,280. 388 books were disinfected.

Respiratory Diseases.

During the year there were 291 deaths from Respiratory Diseases, giving a death rate of 1.17 per 1,000 of the population, as compared with 1.96 for the year 1941.

Lead Poisoning.

This is an affection which is associated with pottery manufacture. Through careful supervision, and under the Special Rules of the Home Office, lead poisoning has diminished. According to the Report of the Departmental Committee there were engaged in 1907 as lead workers under the Earthenware and China Rules in North Staffordshire, 5,299 persons (3,371 males and 1,928 females). In 1939 there were 5 cases of lead poisoning, in 1940 4 cases, in 1941, 5 cases and in 1942, 8 cases. In 1939 there were no deaths attributed to lead poisoning, in 1940 two, in 1941 three, and in 1942 four deaths occurred.

Cancer.

The total number of deaths from cancer was 423, an increase of 33 from the previous year. This is equal to a death rate of 1.66 and in England and Wales the rate was 1.834.

Tuberculosis.

No persons have been compulsorily removed to Hospital under either the Public Health Acts, 1925, and no action has been taken under the Public Health (Prevention of Tuberculosis) Regulations, 1925, with reference to Dairy workers.

Pulmonary Tuberculosis.

Three hundred and thirty-eight cases were notified in accordance with the provisions of the Public Health (Tuberculosis) Regulations.

Out of the 180 deaths from Pulmonary Tuberculosis during the year, 31 had not been notified, a percentage of 17.2. There were 29 deaths from other forms of Tuberculosis, and 17 of these had not been notified, a percentage of 58.6 which is much too high a figure and it is hoped that it will be considerably reduced by more careful attention to notification.

The 180 deaths is equal to a death rate of 0.704 per 1,000; in 1941 there were 210 deaths and a death rate of 0.812 per 1,000. In England and Wales, in 1942, the death rate was 0.542 per 1,000.

There were 29 deaths in the year from forms of tuberculosis other than Pulmonary, equal to a rate of 0.113 per 1,000 of the population. In 1942, the rate for England and Wales was 0.115.

The total death rate from all forms of tuberculosis was 0.817 per 1,000. In 1942 the rate for England and Wales was 0.657 per 1,000 of the population.

Other Forms of Tuberculosis.

There were 77 cases notified of other forms of Tuberculosis, and 29 deaths, giving a rate of 0.113 per 1,000 of the population. Of these deaths, seven occurred among children between the ages of one year and five years. Of the 27 deaths, 17 had not previously been notified. There were 18 deaths from Tubercular Meningitis.

Table shewing the number of cases notified as suffering from other forms of Tuberculosis during 1942:—

		Under	15	5—15	15-25	25—45	45—65	Over 65	Totals
Tabes Mesenterica	• • •	_	_		_		I		I
Tubercular Meningitis	•••	1	2	J		_			4
Glands	• • •		4	19	5	I	1		30
Osseous	• • •		4	3	5	4	4	2	22
Skin			I	_	_	I			2
General	• • •			_		_			
T.B. Peritonitis			_	I	Ι		_	_	2
Other Forms	• • •		3	7	3	2	1	_	16
Totals	• • • •	I	14	31	I4	8	7	2	77

Of the 77 cases of other forms of Tuberculosis notified 30 were Tubercular Glands, compared with 30 in the previous year.

The work of the Tuberculosis Department is carried out from the Central Dispensary at Shelton, which provides facilities for the early diagnosis, treatment, and supervision of cases of Pulmonary Tuberculosis.

The following table, which is an extract from the Ministry of Health Return (37 T. Rev.), gives an account of the work done in the Department during the year:—

Return relating to the work of the Tuberculosis Dispensary during the year ending 31st December, 1942.

	I	Pulmo	onary		Nor	n-Pul	lmona	ary		То	tal		Grand
Diagnosis	Ad	ults	Chile	dren	Adı	ılts	Chile	dren	Adı	ılts	Chile	dren	Total
	$\overline{\mathbf{M}}$	F	M	F	M	F	M	F	M	F	M	F	
A.—(1) Number of definite cases of Tuberculosis on the Dispensary Register on 1st January, 1942 (2) Transfers from other Authorities during the year		614	114	120	57	65	90	67	; 790	679	204	187	1860
B.—Number of new cases diagnosed as Tuberculosis during the year:— (1) Class T.B. minus (2) Class T.B. plus	77	54 49	10	9	9	10	16	21	134	113	26	30	303
C.—Number of cases included in A and B written off the Dispensary Register during the year as: (1) Recovered (2) Dead (all causes) (3) Removed to other Areas (4) For other reasons		63 60 7 3	20 — I	26 I —	7	7 3 —	9	8 2 -	169	144	31	37	381
D.—Number of definite cases of Tuberculosis on the Dispensary Register on 31st December, 1942	717	593	92	96	64	70	91	72	781	663	183	168	1795

Number	of	new cases (including contacts) examined during the year	1,763
,,	,,	attendances at the Dispensary during the year	9,147
"	,,	visits by Nurses for Dispensary purposes during the year	9,393
,,	, ,	specimens of sputum, etc., examined during the year	3,222
)	,,	X-ray Examinations made during the year	5,639
22	,,	T.B. plus cases on the Dispensary Register on 31st	
		December, 1942	558

There are 91 beds available at Stanfield Sanatorium and 48 at Cheshire Joint Sanatorium for adult male and female patients, whilst 49 beds are available at Bagnall Sanatorium for children.

Admissions to Bagnall, Stanfield and Cheshire Joint Sanatoria (excluding observation cases) have been as follows:—

		Cheshire	
	Stanfield	Joint	Bagnall
• • •	192	38	
• • •	62	19	ACC THE STATE OF T
	5	2	47
	259	59	47
	• • •	192 62 5	Stanfield Joint 192 38 62 19 5 2

The conditions of patients on discharge has been as follows:—

		Cheshire	
	Stanfield	Joint	Bagnall
Quiescent	 15		9
Improved	 135	44	34
Stationary	 63	14	3
Worse	 7	I	
Deaths	 38	3	I
			
	258	62	47

At the beginning of the year, there were 14 observation cases in the three Sanatoria, and 110 cases were admitted for observation during the year. The number of observation cases discharged was 84, the diagnosis on discharge being: "tuberculous," 4; "non-tuberculous," 60; and "doubtful," 20. At the end of the year, there were 40 undiagnosed cases in the Sanatoria.

All children admitted to Bagnall Sanatorium now have Mantoux intradermal Tuberculin tests carried out, whether notified or not. Those found to be negative reactors are referred to their own medical advisers on discharge.

AFTER-CARE.

The work of this voluntary Committee has been maintained at the high standard of previous years.

During the year it has been instrumental in re-housing 3 families. Financial assistance towards payment of rent and rates has been granted to 31 families. Food, clothing, etc., have been provided for 44 necessitous cases.

Thanks are due to the Housing Committee for the promptness with which they have acceded to requests for houses in these cases.

Included in the admissions to Stanfield Sanatorium are 122 Service cases which have been transferred from hospitals for examination by a medical board and discharge from the Services.

During the year there have been 2,503 artificial pneumo-thorax refills done at Stanfield Sanatorium and the Dispensary.

SURGICAL TUBERCULOSIS.

The Corporation had an agreement with the North Staffs. Cripples Aid Society for the use of twelve beds for the treatment of children suffering from Surgical Tuberculosis, six beds for children under five years of age (non-tubercular), and six beds for adult Surgical Tuberculosis cases. Owing to war conditions this agreement is in abeyance at present and temporary arrangements have been made.

Dr. D. Wainwright reports as follows:

"During the year 1942, 308 cases of Surgical Tuberculosis in children of the City of Stoke-on-Trent, were under treatment at the Orthopaedic Hospital, Hartshill.

Eighteen of these cases were treated as in-patients for a longer or shorter period according to their necessities. Four have been discharged as cured or improved and five have died.

CLASSIFICATION OF CASES.

Spines	• • •	• • •	• • •		» • •	99
Hips	• • •	• • •				93
Knees	• • •	• • •	• • •		* * *	50
Ankles		• • •	• • •		• • •	40
Elbows	• • •	• • •				9
Fingers	and W	rist				IO
Shoulde	er	• • •	• • •	• • •		7
				Total		308

During the year 1942, 19 cases of Surgical Tuberculosis in adults were treated as in-patients.

CLASSIFICATION.

Spine		• • •	• • •		• • •	IO
Hip		• • •	• • •			I
Knee	• • •					I
Ankle		• • •	• • •		* * *	4
Shoulder	• • •	• • •	• • •	• • •	• • •	I
Elbow	o • •		• • •		• • •	0
						17

Eleven have been discharged, cured or improved and one has died."

VENEREAL DISEASES.

The following summarises the data of general interest in relation to the work of the Clinic during this period.:—

Number of new cases attending in 1942	• • •	394
Total number of cases attending in 1942	• • •	578
Total attendances		8277
Number of attendances for individual attention of Medical Officer	• • •	3560
Number of attendances for intermediate treatment		4717
Average number of attendances per head		14
Number of cases discharged as cured in 1942		333

New Cases.

Year	Syphilis	Gon- orrhoea	Non-ven- ereal	Percent- age non- venereal	Total
1933 1934 1935 1936 1937 1938 1940 1941	193 157 157 121 53 43 54 37 16	345 325 291 280 335 315 220 161 137 130	350 425 336 313 301 355 281 205 175 231	40% 47% 43% 44% 50% 51% 51% 53% 58%	888 907 784 714 689 713 555 403 328 394

New Cases of Early Syphilis.

Year	Male	Female	Total
1933	 86	34	120
1934	 86	28	114
1935	 56	28	84
1936	 40	18	58
1937	 5	2	7
1938	 3	4	7
1939	 3	I	4
1940	 2	2	4
1941	 2	0	2
1942	 3	I	4

The following is a return as to the work carried out at the Out-Patient Clinic at the North Staffs. Royal Infirmary:—

(I) Total number of persons dealt with and suffering from :—

				Number of persons dealt with during the year for the first time
(a) Syphilis	• • •	• • •		108
			• • •	3
(c) Gonorrhoea	• • •			158
(d) Conditions othe	r than	Vener	eal	225
	Total	• • •	•••	494

(2) Total attendances of all patients: City, 11,236; Staffs. County, 7,406; and outside the district other than the County, 1,724.

VACCINATION.

Statement of Vaccination for the year ending 31st December, 1941.

(Furnished by the Vaccination Officer).

Births	• • •	• • •		• • •		• • •	* * •	4,822
Successf	ully va	accinat	ed	• • •	*		a 0 0	2,051
Insuscep	otible	• • •		• • •				II
Had Sm	allpox		• • •	• • •	• • •	• • •		
Died un	vaccin	ated		• • •		• • •		242
Postpon	ed by	Medica	ıl Au	thority		• • •		76
Certifica	tes of	Exem	otion	(Conscie	entious	object	ion)	1,680
Remova	ls cert	ified	• • •			4 4 4	• • •	167
Remova	ls not	found	and 1	not accor	unted	for		125
Not deal	lt with	for va	arious	reasons	• • •			470

Of the total births, only 42.5 per cent. were vaccinated during the year; previous year 41.7.

No re-vaccinations have been performed by the Medical Officer of Health under the Public Health (Smallpox Prevention) Regulations, 1917, amongst contacts where immediate vaccination was not otherwise possible.

MATERNITY AND CHILD WELFARE.

Midwives' Act, 1936.

The following is a summary of the work carried on under the Midwives' Act.

There are now 36 midwives employed by the authority. Fourteen midwives continue in independent practice, and two work in conjunction with Voluntary Associations.

During the year, the midwives employed by the Council attended a total of 2,798 cases; of these, 340 were attended as maternity nurses. In 1941 the total number of cases attended was 2,845.

The midwives in independent practice attended a total of 424 cases as midwives, and 182 as maternity nurses. The remaining two midwives who work in conjunction with Voluntary Associations attended 21 cases as midwives, and six as maternity nurses.

A total number of 706 visits was paid to the midwives during the year. The records were found to be well kept and their bags and equipment satisfactory.

No midwife has been reported to the C.M.B. during the year for any breach of rules.

During the year 1942 there were received from Midwives:—

- 1,210 Records for calling in Medical Aid.
 - 32 Notifications of death of new-born child.
 - Notification of death of the mother.
 - 24 Still-births on Special Forms.
 - 78 Notifications re Failure to Breast-feed.

The 1,210 records for calling in Medical Aid were divided as follows:

- 123 for abnormality or complication during pregnancy.
- 801 for abnormality or complication during labour.
- 105 for abnormality or complication during lying-in period.
- 181 for abnormality or complication in case of the child.

Under the Midwives' Act, 1918, claims were made by doctors for the payment of fees in 891 cases, out of 1,210 instances in which medical aid was called. The 891 claims amounted to £1,600 5s. 6d., compared with £1,975 17s. 6d. in the year 1941.

Infantile Mortality.

The total number of deaths of infants under the age of one year was 237, being equal to an infantile mortality rate of 49 per 1,000 births. In 1941 the rate was 63.

Of the 237 infants who died in the City before reaching the age of 12 months, 135 or 56.9 per cent. occurred in children under one month old, compared to 50.1 per cent. in 1941.

1942
Districts,
Six
pue
City
the
in
occurring
Mortality
5.—Infantile
TABLE

Total Deaths I year	236 I	1	2		1	H	l	'	7	† (7 (77 (6 r	-		31		7.7	۱ ,	7	•	→ i	11	0	27	79	II	14 °	\sim	1	4	237	
Smallthorne, Morton, etc.	33	STATE OF THE PARTY										— (m		H	0	(Υ					7	=	61	0	4	H		-		33	te, 15.
Longton	4 I I	1	Н			н			1			-	-		н (0	'	4-					н і	н	0	0,1	— \	0	-		1	42	Illegitimate,
Fenton	18	1	1	1	1		Ì	1					7	1		7	1	H	1				H	Н	H (∞	†		7		1	18	2; Ille
Stoke	51		Ι		1	1						1	7		7	2	'	0		1	1	H	~	Н	0	2	H	Н			н	51	22
Hanley	35		1	1					7				H	—	H	Н	1	3		н			3	7	3	13	н	н		1	7	35	egitimate,
Burslem	31		1												н	5		7	1			1	Н		5	II	3	3		1		31	
Tunstall	27		1	1			1	1		1	Н			1	Н	9	1	7	1				1	7	Н	OI	H	2	1		н	27	the year
sud under sand under	14						1		1		Н			I	3	2		5						0.5 \$	1			2	1	1		19	in
snd under 9 months	18				1	н	.		н		1	Ι	I			5		3							н		2	2	Н		Ì	18	t Deaths
snd under 6 months	33	The Contract of the Contract o	Н	1			1			1	Ι		Н		2	II		9		1		H	1		4	.	Н	5				33	Nett
snd under a weeks	37	TO NATIONAL PROPERTY OF THE PARTY OF THE PAR	H	1	1				н				7		7	6		7		н	1			н	~	10	· ~) Н	н			37	2
Total under	134 I	FOR SAMPLE STREET SHEET		1			1	1				Н	5			4					1		II	7	, 10	74	. 10	, 4	н		4	135	Illegitimate,
3 to 4	9	AFERSTA AND PROPERTY OF		1						1			j=sel	1	1	Н		1					1		Ι	2	Н				1	9	. Comment
s to 3	7	PARTY RESIDENCE													1						1				2	4	· н			1	1	7	4
z ot i sassw	14 H			1								н				2							Н		00	Н					Н	14	Legitimate,
ı week Onder	107 I	NAMES OF TAXABLE PARTY.	1	1					1				4			H							OI	7	.∞	67	. ~) 4	Н		3	108	-Legi
	• •		1 0		•	•	•	•	•	•	•	•	•	0	0	0	•	•	•	0 0	6	•	•	•	•	•	mus	•	•	•	infancy		e year:
Causes of Death	All causes { Certified	Cm 2 1 10 V	Chicken-nox	Measles	Scarlet Fever	Whooping-Cough	Diphtheria and Croup	Frvsipelas	Tuberculous Meningitis		Other Tuberculous Diseases	-	Convulsions	Larvneitis		Pneumonia (all forms)	Diarrhoea	Enteritis	Gastritis	Syphilis	Rickets	Suffocation (overlying)		A telectasis	Congenital Malformations			Other causes	Influenza	Pemphigus Neonatorum	0)	TOTALS	Nett Births in the

Deaths under one year per 1,000 Births in the City.

Year	Total Births	From all causes	From Diarrhoea	From Respira- tory Disease	From Debility, Congenital De- fects and Pre- mature Births.	From Measles	From Whooping Cough
1938	4469	52	2.7	9.6	32.4	0.2	0.4
1939	4410	61	3.9	10.7	26.6	1.3	1.3
1940	4411	61	3.2	14.9	28.5	0.0	0.7
1941	4538	63	4.4	15.2	25.6	11.0	2.6
1942	4840	49	4.3	8.3	28.9	0.0	0.2

Average rate for the five years (1938-42), 64.

The infantile mortality rate in the 126 large towns in 1942 was 59.

The rate for England and Wales during 1942 was 49.

Notification of Births Act.

Of the 4,849 births notified in the City of Stoke-on-Trent during 1942, 2,903 were attended by midwives, 528 by doctors and 1,418 occurred in institutions. The percentage of births occurring outside Institutions attended by midwives was 66.

Summary of Visits paid by the Medical Officers and Health Visitors.

First Visits to infants under I year of age	• • •	4,686
Re-visits—Under 1 year 17,207		
Over 1 year 30,541		47,748
First Visits to Expectant Mothers	• • •	266
Re-visits to Expectant Mothers	• • •	2 27
Visits to Ophthalmia Cases	• • •	32
" Midwives	• • •	706
" in connection with still-births and infa	ant	
deaths	• • •	415
" in connection with infant life protection	• • •	237
Other visits	• • •	1,684
Wasted Visits	• • •	3,278
		59,279

INFANTILE MORTALITY.

Infantile Mortality Rate amongst Illegitimate and Legitimate Children of Stoke-on-Trent during the Past 5 years.

	Ill	egitima	ite Le	egitima	te	Whole
1938	* * *	83	* * *	51	• • •	52
1939		98	• • •	59		6I
1940	• • •	72		6I		6I
1941	• • •	51	• • •	63		63
1942		69		48		49

There are 16 Infant Welfare Centres in the City area. Fourteen of these Centres are directly under the Council, and two under Voluntary Committees who work in close conjunction with the Corporation.

Ante-natal Clinics are now held at fourteen Centres.

A. Total number of attendances at all Centres during the year:

	1942	1941
(I) by children under one year of age	39,392	33,127
(2) by children between the ages of I		
and 5 years	6,914	5,987

B. Total number of children who attended at the Centres for the first time during the year, and who on the date of the first attendance were:—

- (I) under one year of age ... 3,495
- (2) between the ages of I and 5 years 205

C. Total number of children who attended at the Centres during the year, and who at the end of the year were :—

- (I) under one year of age ... 3,018
- (2) between the ages of I and 5 years 3,434

HEALTH VISITING.

Number of visits paid during the year by all Health Visitors :-

(I)	to expectant mothers	First Visits	• • •	266
		Total visits	• • •	493
(2)	to children under I year of age	First visits	• • •	4,686
		Total visits	• • •	21,893
(3)	to children between the ages of I and 5 years	Total visits	• • •	30,541

Voluntary Centres.

ETRURIA MOTHERS' AND BABIES' WELCOME.

The following figures are of interest:—

Home visits paid 8,510

Total attendances for all purposes at the

Centres 5,623

THOMAS TWYFORD INFANT WELFARE CENTRE.

The attendances at the various Clinics at the above Centre include the following:—

Dental Clinic (Children) 25
Home visits paid 3,425
Total attendances for all purposes for the year ... 8,108

ANTE-NATAL CLINICS.

During the year, 1,275 expectant mothers attended the Municipal Ante-natal Clinics. In addition, 737 attended the City Maternity Hospital Ante-natal Clinic, and 693 the London Road Hospital Clinic.

The attendances for the year amounted to 4,334 at the Ante-natal Centres, 5,112 at the City Maternity Hospital, and 5,082 at the London Road Hospital Clinic. In addition 493 visits were paid by the Health Visitors to the homes of the expectant mothers who attended at the Municipal Ante-natal Clinics.

Children Act.

Infant Life Protection.

The following returns give a summary of the number of children, etc., under the care of the Local Authority during the year:—

I. NOTIFICATIONS.

- (i) Number of foster-parents on the Register:—
 - (a) at the beginning of the year ... 19
 - (b) at the end of the year ... 19
- (ii) Number of children on the Register:—
 - (a) at the beginning of the year ... 19
 - (b) at the end of the year ... 19
 - (c) who died during the year ... —
 - (d) on whom inquests were held during the year ... —

- (iii) Number of Life Protection Visitors at the end of the year who were:—
 - (a) Health Visitors... ... 14
 - (b) Female, other than Health Visitors —
 - (c) Male
 - (iv) Number of persons (in addition to or in lieu of Visitors under (c) above) or societies authorised to visit under the proviso to Section 2 (2) of the Act of 1908—one Medical Officer.

No proceedings were taken under any Section of the Act during the year.

Maternal Mortality.

Fifteen women died in, or in consequence of, childbirth, during the year. The deaths were classified as follows:—

From Sepsis 4
From other Puerperal causes 11

All the cases died in Institutions.

			Puerperal Sepsis	Other Puerperal Causes	Total Puerperal Mortality
1942 Per 1,000 Live Births	• • •	• • •	0.82	2.27	3.09
Per 1,000 Total Births	• • •		0.79	2.18	2.97
1941 Per 1,000 Live Births	• • •	• • •]	0.88	2.64	3.52
Per 1,000 Total Births	• • •	•••	0.85	2.55	3.40

Infectious Diseases.

Disease	Number of cases notified during the year	Number of cases visited by officers of the Council	Number of cases for whom home nursing was provided by the Council	
(1) Ophthalmia Neonatorum	29	29	25	
(2) Pemphigus Neonatorum	5	5	2	_
(3) Puerperal pyrexia	68	68	4	25

War Time Day Nurseries.

The number of Nurseries in operation at the end of the year was eleven. These are scattered over the City and efforts have been made to cater especially for the Corporation Housing Estates.

The Nurseries are open from 6 a.m. to 7-30 p.m. Most of the Nurseries take 40 children, a few over that number. Altogether there is capacity for 452 children. Nine of the Nurseries have been running to full capacity. Several Nurseries have waiting lists especially for the children of over 2 years of age. In the winter months children are usually not brought before 7-30 a.m., but during the light mornings the children arrive much earlier, and more infants are admitted in the mild weather. The youngest baby in the Nurseries was one of four weeks, but the babies are mostly over six months old. The feeding of the babies is generally on National Dried Milk. The health of the children improves on the routine, and good diet.

Measles and Whooping Cough occur and reduce the numbers for a time. Skin infections are kept under control, and exclusion is seldom necessary except in Scabies cases.

Two Nurseries had outbreaks of Diarrhoea, which also affected the staff. Exclusion of cases and strict aseptic precautions and boiling of milk checked any spread. Bacteriological reports revealed no pathogenic organisms.

Judging from the demand for places, the Nurseries are supplying a definite need throughout the City.

Ophthalmia Neonatorum.

The total number of cases notified by medical men in 1942 was 29, as compared with 39 in 1941.

Ophthalmia Neonatorum has been compulsorily notifiable throughout the whole area since 1911.

Nurses were supplied by the Corporation in 25 cases.

Cases of Op	hthalmia N	eonatorum					
Notified	Trea	ated	Vision unimpaired	Vision impaired	Total Blindness	Deaths	
Notified	At home	In hospital	ummpan cd	Impaired	Diffiditess	Deaths	
29	29		29			_	

Day and night nurses are supplied in all cases where necessary. Arrangements also exist for a specialist to consult with the medical attendants free of charge.

THE CITY MATERNITY HOSPITAL, HARTSHILL.

Report for the Year ended 31st December, 1942.

Number of patients in hospital at the beginning of	the	
year		20
Number of patients admitted during the year		783
Number of patients discharged during the year		775
Number of patients in Hospital at the end of the year		28
Number of infants in Hospital at the end of the year	0 0 0	20
Number of patients admitted from within the City		776
Number of patients admitted from outside the City		7
Number of patients admitted to Private Wards		42
Number of patients admitted to General Wards		741
Number of Emergency cases during the year	• • •	46
Number of Births during the year		714
Number of still-births during the year		50
Number of Infant deaths during the year		II
Number of Maternal deaths during the year		I
Ante-natal attendances for 1942		5,112

Pemphigus Neonatorum.

Five cases of Pemphigus Neonatorum were notified during the year.

Measles.

Measles was made compulsorily notifiable in the later months of 1939, and during 1942 there were 2,642 cases notified.

There were three deaths during 1942, compared with 20 in 1941 and 0 in 1940.

The death rate from Measles in 1942 was 0.012 per 1,000 compared with 0.02 for the 126 large towns and 0.01 for England and Wales.

Whooping Cough.

There was one death from Whooping Cough during the year, compared with 22 in 1941.

The deaths occurred at the following ages:—

Leaflets are distributed through the schools when necessary.

This disease was made compulsorily notifiable in the later months of 1939.

REFUSE COLLECTION AND DISPOSAL.

In spite of difficulties encountered, due to stringent war conditions, collection was fairly regularly maintained.

The total nett cost of refuse collection and disposal for 1942 was £45,831.

Comparative collection and disposal cost figures for the last four years are :—

			Total
Year			Nett Cost
			£
1939	 	 	40,246
1940	 	 	37,004
1941	 	 	36,554
1942	 	 	45,831

The higher expenditure for 1942 is almost wholly accounted for by wage increases during that period.

STREET CLEANSING.

Street Cleansing expenditure during the last four years was as follows:—

					Total Nett
					Cost
					£
1939.	Sweeping and	Watering			 24,404
1940.	,,	,,			 23,579
1941.	,,	,,			 24,665
1942.	,,	,,	• •		 23,833
1939.	Gully Cleansin	g		• •	 2,540
1940.	,, ,,				 2,060
1941.	,, ,,				 2,667
1942.	,, ,,				 2,658
1939.	Snow Remova	1			 1,547
1940.	,, ,,				 7,554
1941.	,, ,,				 3,682
1942.	,, ,,			• •	 4,499

SALVAGE OF WASTE MATERIALS.

During the period January to December, 1942, 4,077 tons of Kitchen Waste were dealt with. After processing, this valuable Pig and Poultry food realised £14,590.

The following is the cash value of all the materials salved since intensive salvage operations began after the outbreak of war:—

3.7		£
Nov./Dec., 1939	• •	787
Jan. tc Dec., 1940	• •	14,798
Jan. to Dec., 1941	• •	24,302
Jan. to Dec., 1942	• •	47,849
Total to end of I	142	£87,736
Total to olid of re	14-21	£ ⁰ /,/3 ⁰

As anticipated in the last Report, the value of materials salved in 1942 did amount to double that of 1941.

SANITARY INSPECTION OF DISTRICT.

During the year 1942, 6,898 nuisances were dealt with as compared with 6,046 in 1941. 3,103 complaints were received of which 441 were unfounded.

	New drains	• • •	27
Inspection	Re-visits		175
of Drainage	Repairs to dra	ins	278
Work	Re-visits		326
	Other Visits	• • •	544

Shops Act. Section 10.

	Defects dealt with
Ventilation	
Heating	_
Lighting	
Washing Facilities	5
Meals Accommodation	I
Other Nuisances	IO
Insufficient	
Sanitary Unsuitable or Defective	IO
Accommodation Badly Ventilated Other Defects	_
Other Defects	15
No. of Visits paid 194 TOTAL	41
• •	

Other Special Inspections.

Purpose			Number of Inspections	Number of Contraventions and Defects dealt with
Common Lodging-houses		• •	130	2
Houses let in lodgings		• ;	118	31
Cowsheds, Dairies		• •	235	7
Milkshops			83	2
Slaughterhouses			65	
Cafe Kitchens, Food Shops			607	II
Fried Fish Shops			282	10
Marine Stores			40 -	I
Other offensive trades		• •	58 =	. 5
Ice-Cream Shops			458	I
Theatres, etc			45	2
Schools			142	142
Schools, Private and Comme			Milesman	Personal
Public Conveniences, Baths			35	
Swimming Baths and Pools		0 %	I	
Common Yards, Courts, etc.		• •	12	
Stables			58	7
Licensed Premises		• •	24	I
Wells and Springs			3	Pommany
Cesspools			Processing of	
A.R.P. Public Shelters			20	Pro-
Static Water Supply			246	Permanany
Scabies			278	
Dog Meat Shops			75	Permanag
Pit Shafts and Sand, Gravel	land	Marl	r	
Pits	• •	• •	634	46
Total			3,649	267

Offensive Trades.

There are in the City:—

One Knacker's Yard.

Two Skin Markets.

Several Marine Stores, Tripe Boilers and Gut Scrapers, and Bone Burning Works.

One Fat Melter, and

Inspection of Factories, Workplaces, etc.

	(Factories Mechan- ical	Fac- tories	Work- places	Offices	Bake- houses	Total
Visits Paid Reports to H.M.I.:	1190	482	50	5	354	2081
No Abstract		***************************************				
New Premises			_			
Other Matters						
Contraventions and Defects dealt with	1553	115	5	_	18	1691

There are four Common Lodging Houses in the City, including a Salvation Army Hostel for men. The total accommodation registered is 252 persons per night.

Smoke, Grit and Fume Nuisances.

Observations and Inspections:—

Boiler Stacks	• • • ,.	• • •	• • •	• • •	56
Oven Stacks	• • •	• • •		• • •	5
Kiln Stacks	• • •	• • •		• • •	27
Brick and Tile	• • •	• • •	• • •		7
•					
					95

Twenty-six complaints were received and dealt with.

Warnings have been given in 23 instances.

Rats and Mice (Destruction) Act, 1919.

The Rat Catcher made 2,012 visits to various premises during the year and the number of rats known to have been killed and the methods employed were:—

Poison		• • •	45,508
Dogs and Ferret	S	• • •	307
Traps	• • •		31
Other means	• • •	• • •	48
	Total	• • •	45,894

£341 10s. 6d. was charged by the Corporation to the various occupiers or owners of premises for work done.

Canal Boats.

During the year 364 canal boats were inspected and found to be clean, well ventilated and in reasonable state of repair; 87 contraventions were reported.

There are at present 224 boats on the register.

FOOD AND DRUGS ACT, 1938.

Samples Taken.

During the year 644 formal and 262 informal samples were taken, making a total of 906, of which 77 were non-genuine.

Description	No. of Samples	Remarks
Buttter, Margarine, Cheese, etc.	70	3 non-genuine
Milk and Cream	592	62 non-genuine
Lard, etc.	30	All genuine
Sugar	24	All genuine
Drugs, Oils, Spices, etc	46	4 non-genuine
Vinegar	31	All genuine
Tea, Coffee, etc	22	All genuine
Miscellaneous	91	8 non-genuine

(For Prosecutions, see table on page 37.)

Preservatives in Cream, Milk and Sundries, etc.

Of the milk, butter, and lards no sugar preservatives were found.

Preservatives were found in permissible quantities in jams, wines, and margarine, and 4 cordials contained excess preservatives.

All the lards were tested for paraffin but none found.

Registration of Butter Factories and Wholesale Margarine Dealers.

There were no new registrations during the past year. One butter factory and thirty-four wholesale margarine dealers are registered.

Merchandise Marks Act, 1926.

No infringements reported.

Pharmacy and Medicines Act 1941.

59 Visits made and five samples taken; three samples did not conform with the Act as regards quantitative statements being on the containers.

SUPERVISION OF MILK SUPPLIES

Milk and Dairies Act and Orders,
Milk and Dairies (Consolidation) Act, 1915,
and the Food and Drugs Act, 1938 (from 1st October, 1939).

645 samples of milk were submitted for biological and bacteriological examination to the Staffordshire County Council Bacteriologist. 513 of these were ungraded milks and 132 graded milks.

380 of these samples were also tested for the presence of Tubercle Bacilli. 27 positive results being 7.1%.

Designated Milk Licences.

There are 26 Accredited Milk Producers and one T.T. Producer in the City.

Table of Licences.

Accredited Milk	• • •	33
Accredited and T.T.	• • •	3
T.T	• • •	8
Pasteurised	• • •	18
		62

MEAT AND FOOD INSPECTION. Abattoir.

The number of animals slaughtered at the Abattoir :-

				1942	1941
Cattle	• • •	• • •		7,500	8,286
Calves	• • •	• • •	• • •	6,568	11,899
Sheep	• • •	s • •		27,579	29,003
Pigs	• • •	* * *		998	5,589
Boar Pigs	• • •			70	5.I.
Sucking Pi	gs	• • •	• • •	_	I
					<u> </u>
				42,715	54,829

Meat, Offals, etc., Surrendered.

Total amount of m	neat volunta	rily surrender	ed and		
destroyed	• • • • • • • •	•••	• • •	181,391	lbs.
Amount of offal	voluntarily	surrendered	and		
destroyed			•••	148,425	lbs.
Amount of other foo	ods voluntari	ily surrendere	d and		
destroyed	•••	•••	•••	72,185	lbs.
GRAND TOTAL			402,001		

Systematic inspections were made of all food preparing premises, slaughterhouses, meat shops, etc., by the Meat Inspectors. In addition, inspections were made by the District Sanitary Inspectors.

HOUSING ACT, 1936.

Overcrowding.

During the year the Council continued to re-house overcrowded families as the new dwellings became available.

Housing.

Defects dealt with were 813 and action was taken under Public Health Act for repairs.

40 houses were rendered fit by the owners in compliance with notices served.

INCREASE OF RENT AND MORTGAGE INTEREST (RESTRICTIONS) ACTS, 1920 TO 1938.

20 applications received and Certificates issued.

Table of Prosecutions for 1942.

	Description			Fines £ s. d.		Costs £ s. d.		
	Food, Drugs, Milk, etc.							
ī.	Sulphur Blood Tablets and Cream of Tartar (2 Cases) No Cream of Tartar; False Labelling.	I	Ο	О	2	7	6	
2.	Failure to mark Margarine	I	О	0	2	15	6	
3.	New Milk containing added water 12.2% to 35.1% (6 Cases)	36	0	0	. 13	I	0	
4.	Black Currant and Glycerine Cough Mixture (2 Cases) Deficient in Clycerine 60% and Acetic Acid 90.6% False Label.	20	Ο	Ο ,	2	15	6	
5.	Strawberry Flavour Cordial (3 Cases)	60	Ο	0	7	14	6	
6.	New Milk containing 9.4% added water	2	O	0	3	9	6	
7.	New Milk cantaining 1.3% to 13.4% added water • (10 Cases)	10 5	0	0 }	26	12	6	
8.	Grape Fruit Flavour Cordial (4 Cases)				4	7	5	
	Orange Flavour Cordial (4 Cases)	Witl	hdra	wn	4	7	5	
	Excess Preservatives '	10	0	0				
Public Health Nuisances, etc.								
9. 10. 11.	Dirty House		Ο	О		4 10 10		
	Total Fines	£159	0	Ο	£68	16	4	

The 11 prosecutions comprise 36 cases.

And in addition one warning was issued.



